



Report No.: TSZ24MH007A02-01

Material Safety Data Sheet

Sample name: LiFePO4 Battery

Sample model: RS25200

Applicant: Rubix Battery LLC

Date of issue: 2024.12.17

Written by Chen Fieli . Approved by Duan jung too

Shenzhen Tiansu Calibration and Testing Co., Ltd.





Page 2 / 8 Pages

Report No.: TSZ24MH007A02-01

* The MSDS is prepared based on the information provided by client. The contents and formats of this MSDS are revised as per client's request.

Section 1-Chemical Product and Company Identification		
Product Name	LiFePO4 Battery	
Model	RS25200	
Trade Mark	1	
Ratings	25.6V/200Ah/5120Wh	
Weight	47.300kg	
Manufacturer	Rubix Battery LLC	
Manufacturer Address	2310 Township Rd Sugarcreek Ohio 44681 330-231-9627	
Emergency Telephone	330-231-9627	
Fax		

Section 2- Composition Information

Chemical Composition	Chemical Formula	CAS No.	Weight (%)
Lithium Iron Phosphate	LiFePO ₄	15365-14-7	24
Graphite	С	7782-42-5	10 - 30
Lithium hexafluorophosphate	LiPF ₆	21324-40-3	23
Copper	Cu	7440-50-8	7-13
Aluminium	Al	7429-90-5	5-10
Nickel	Ni	7440-02-0	1-5

Section 3- Hazards Identification

Emergency overview N	/A
----------------------	----

Label elements:





Page 3 / 8 Pages

Report No.: TSZ24MH007A02-01		

Hazard pictogram(s)	Not Applicable		
Signal word	Not Applicable		
Hazard statement(s)	Not Applicable		
Precautionary statement(s):			
Prevention	Not Applicable		
Response	Not Applicable		
Disposal	Not Applicable		
Environmental hazards:	No relevant information		
Important symptoms:	See section 11 for more information		
Section 4- First Aid Measures			
Eye contact	Flush eyes with plenty of water for least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid.		
Skin contact	Remove contaminated clothes and rinse skin with plenty of water or shower for 15 minutes. Get medical aid.		
Inhalation	Remove from exposure and move to fresh air immediately. Use oxygen if available.		
Ingestion	Give at least 2 glasses of milk or water. Induce vomiting unless patient is unconscious. Call a physician.		
Secti	on 5- Fire Fighting Measures		
Flash Point	Not Applicable		
Auto-Ignition Temperature	Not Applicable		
Extinguishing Media	Hydrocarbon surfactant, CO ₂		
Special Fire-Fighting Procedures	Self-contained breathing apparatus		
Unusual Fire and Explosion Hazards	Cell may vent when subjected to excessive heat-exposing battery contents		
Hazardous Combustion Products	Carbon monoxide, carbon dioxide, lithium oxide fumes.		
Section	6- Accidental Release Measures		





Page 4 / 8 Pages

Report No.: TSZ24MH007A02-01

Personal precautions, protective equipment and emergency procedures:

If the battery is released, remove personnel from area until fumes dissipate. Provide maximum ventilation to clear out hazardous gases. The preferred response is to leave the area and allow the vapors to dissipate, Avoid skin and eyes contact or inhalation of vapors. Remove spilled liquid with absorbent and incinerated. If leakage of the battery happens, liquid could be absorbed by using sand, earth or other inert substance and contaminated area should be ventilated meantime.

Environment precautions:

Do not allow product to reach sewage system or any water source.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

If battery casing is dismantled, small amounts of electrolyte may leak. Collect all released material in a plastic lined container. Dispose off according to the local law and rules, Avoid leached substances to get into the earth, canalization or waters.

Section 7- Handling and Storage			
	The battery should not be opened, destroyed or incinerate, since they may		
	leak or rupture and release to the environment the ingredients that they		
Handling	contain in the hermetically sealed container.		
Tranding	Do not short circuit terminals, or over charge the battery, forced		
	over-discharge, throw to fire.		
	Do not crush or puncture the battery, or immerse in liquids.		
	Avoid mechanical or electrical abuse. Storage preferably in cool, dry and		
	ventilated area, which is subject to little temperature change. Storage at		
Storage	high temperatures should be avoided.		
	Do not place the battery near heating equipment, nor expose to direct		
	sunlight for long periods.		
	The battery may explode or cause burns, if disassembled, crushed or		
Other Precautions	exposed to fire or high temperatures. Do not short or install with incorrect		
	polarity.		
Section 8- Exposure Controls/Personal Protection			
	Use local exhaust ventilation or other engineering controls to control sources		
Engineering Controls	of dust, mist, fumes and vapor.		
	Keep away from heat and open flame. Store in a cool, dry place.		





Page 5 / 8 Pages

Report No.: TSZ24MH007	A02-01
------------------------	--------

Personal Protective Equipment	Respiratory Protection: Not necessary under normal conditions. Skin and body Protection: Not necessary under normal conditions, Wear suitable protective clothing and gloves if handling an open or leaking battery. Hand protection: Wear suitable gloves if handling an open or leaking battery. Eye Protection: Not necessary under normal conditions, Wear safety glasses if handling an open or leaking battery.		
Other Protective Equipment Have a safety shower and eye wash fountain readily available immediate work area.			
Hygiene Measures	Do not eat, drink, or smoke in work area. Maintain good housekeeping.		
Section 9-	Physical and Chemical Properties		
Color	Black		
Odour	Not Applicable		
рН	Not Applicable		
Melting point/freezing point	Not Applicable		
Boiling Point and Boiling range	Not Applicable		
Flash Point	Not Applicable		
Upper/lower flammability or explosive limits	Not Applicable		
Vapor Pressure	Not Applicable		
Vapor Density	Not Applicable		
Relative density	Not Applicable		
Solubility in Water	Not Applicable		
Auto-ignition temperature	Not Applicable		
Decomposition temperature	Not Applicable		
Evaporation rate	Not Applicable		





7ian Su	Report No.: TSZ24MH007A02-01 Page 6 / 8 Pages		
Flammability (soil, gas)	Not Applicable		
Viscosity	Not Applicable		
Section 10- Stability and reactivity			
Stability	The product is stable under conditions described Section 7		
Conditions to Avoid	Heat above 70°C or incinerate. Deform, Mutilate, Crush, Disassemble, Overcharge, Short circuit, Expose over a long period to humid conditions.		
Incompatible Materials	Oxidizing agents, acid, base.		
Hazardous Decomposition Products	Carbon monoxide, carbon dioxide, lithium oxide fumes.		
Possibility of Hazardous Reaction	Not Applicable		
Section 11 - Toxicological Information			
Irritation	Risk of irritation occurs only if the cell is mechanically, thermally or electrically abused to the point of compromising the enclosure. If this occurs, irritation to the skin, eyes and respiratory tract may occur.		
Sensitization	Not Applicable		
Neurological Effects	Not Applicable		
Teratogenicity	Not Applicable		
Reproductive Toxicity	Not Applicable		
Mutagenicity (Genetic Effects)	Not Applicable		
Toxicologically Synergistic Materials	Not Applicable		
Section 12- Ecological Information			
Ecological Toxicity	Not Applicable		
Mobility in soil	Not Applicable		

Address: No.2, Jinlong Avenue, Longgang District, Shenzhen, Guangdong, China
Web: www.tiansu.org E-mail: tsjc@tiansu.org Tel: 0755-89457984

Not Applicable

Persistence and Degradability





7ian Su	Report No.: TSZ24MH007A02-01 Page 7 / 8 Pages		
Bioaccumulation potential	Not Applicable		
Other Adverse Effects	Not Applicable		
Section 13- Disposal Considerations			
Product disposal recommendation	Observe local, s	state and federal laws and regulations.	
Packaging disposal recommendation	Disposal must be made according to official regulations		
Section 14 - Transport Information			
Label for conveyance	Lithium Battery L	abel	
UN Number	UN 3480 or UN 3481		
Transport hazard class(es)	9		
Packing group	965 or 966	II	
Tacking group	967		
Marine pollutant	No		
UN Proper shipping name	Lithium ion Batteries (Including lithium ion polymer batteries) Lithium ion Batteries packed with equipment (Including lithium ion polymer batteries) Lithium ion Batteries contained in equipments (Including lithium ion polymer batteries)		
ICAO/IATA	Can be shipped by air in accordance with international Civil Aviation Organization (ICAO), TI or International Air Transport Association (IATA) DGR 65 th Packing Instructions Section IA of 965 or Section I of 966~967 appropriately.		
IMDG CODE	International Maritime Dangerous Goods Code IMDG CODE (Amdt 41-22)		
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road		





Page 8 / 8 Pages

Report No.: TSZ24MH007A02-01

RID

Regulations concerning the International Carriage of Dangerous Goods by Rail

The dangerous goods regulations require that each battery design be subject to tests contained in Section 38.3 of the UN Manual of Tests and Criteria prior to being offered for transport.

Section 15- Regulatory information

Law information

- 《Dangerous Goods Regulations》
- 《Recommendation on the Transport of Dangerous Goods Model Regulations》
- 《International Maritime Dangerous Goods》
- 《Technical Instructions for the Safe Transport of Dangerous Goods》
- «Classification and code of dangerous Goods»
- 《Consumer Product Safety Act》(CPSA)
- 《Federal Environmental Pollution Control Act》(FEPCA)
- 《Resource Conservation and Recovery Act》 (RCRA)
- 《European Agreement concerning the International Carriage of Dangerous》
- «Regulations concerning the International Carriage of Dangerous»
- In according with all Federal, State and local laws.

Section 16- Other Information

The information above is believed to be accurate and represents the best information currently available to us. However, this document makes no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. Although reasonable precautions have been taken in the preparation of the data contained herein, it is offered solely for your information, consideration and investigation. This material safety data sheet provides guidelines for the safe handling and use of this product; it does not and cannot advise on all possible situations, therefore, your specific use of this product should be evaluated to determine if additional precautions are required.

-- End of Report --

