



Element Materials Technology
662 Cromwell Avenue
St Paul, MN
55114-1720 USA

P 651 645 3601
F 651 659 7348
T 888 786 7555
info.stpaul@element.com
element.com

CLAMPING STRENGTH OF KK3 KWIK KLAMP (6" PIPE) FLUSH SECTION

J&K Tool Company, Inc.
Attn: Ms. Trista Whaley
6385 County Rd 7
Wheaton, MN 56296

Date: December 5, 2017
Author: Jay Anderson
Report Number: ESP026328P.3R0
Client Purchase Order Number: T080817

Manufacturer: J&K Tool Company, Inc.

Product Description: KK3 Kwik Klamp (6" pipe)

Number of Tests: 1

Type of Pipe Clamped: 6" PVC Pipe Flush Section

Test Speed: 0.05 in/min

Sustained Load: 4,902 lbf

Test Equipment: MTS Universal Test Machine, Mdl Qtest / 50LP, System #1532, ID MM210-009
MTS Load Cell, 11200lbf Capacity, S/N 105191, ID MM210-009.2

Comments: Pipe must be properly clamped to obtain reported load

Submitted by,

Project Manager
Product Qualification Testing

Reviewed by,

Advanced Materials Technician
Product Qualification Testing


It is our policy to retain components and sample remnants for a minimum of 30 days from the report date, after which time they may be discarded. The data herein represents only the item(s) tested. This report shall not be reproduced, except in full, without prior permission of Element Materials Technology. All testing was performed in accordance with the latest edition of the applicable test method in effect at the time of test unless otherwise noted.

EAR Controlled Data: This document contains technical data whose export and re-export/retransfer is subject to control by the U.S. Department of Commerce under the Export Administration Act and the Export Administration Regulations. The Department of Commerce's prior written approval is required for the export or re-export/retransfer of such technical data to any foreign person, foreign entity or foreign organization whether in the United States or abroad.

This project shall be governed exclusively by the General Terms and Conditions of Sale and Performance of Testing Services by Element Materials Technology. In no event shall Element Materials Technology be liable for any consequential, special or indirect loss or any damages above the cost of the work.

TEST RESULTS

Specimen Number: 8



[8]

Specimen Results:

Name	Value	Units
Specimen Comment	6" PVC Pipe Flush	
Peak Load	4902	lbf